JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
69(4), 1996, pp. 371–375

INDEX TO VOLUME 69

(Articles in Special Publication Number 2 referenced as S2-followed by page number)

Abel, C. A., 270
Acari associated with bees, S2-15; S2-35
Acarina, symbionts of army ants, S2-232
Acromyrmex octospinosus, metapleural glands, S2-375; nest with *Bombus,* S2-403
Adamsiana, new genus, 81; **curoei**, new species, 82
Ahn, K-J., 234
Al Ayedh, H.Y., 326
Alcock, J., 182
Alexander, B. A., S2-3, S2-11
Aleocharinae, 234
alfalfa pollination, S2-201
alfalfa weevil, 326
allozyme electrophoresis, S2-168
amber, Dominican, new bees from, S2-334; S2-346; bee fauna, S353
Amegilla dawsoni, homing ability of males, 182
Anaphes iole, 357
Andrenidae, fossil in Dominican amber, S2-346
Anelosimus eximius, interactions with ants, 267
Anisopodidae, S2-61
antbirds, lice on, 346
Anthophoridae, nesting biology, 9
ants, leafcutter, metapleural glands, S2-375
aphids, sexual reproduction of greenbugs, 153
aphidophagous *Leucopis* sp., 363
Apis cerana, biogeography, S2-294
Apis laboriosa, biology, 177; pollinator of apples, 177
Apis, recently recognized species, S2-311
army ants, and dung beetles, S2-405; and myrmecophilous mites, S2-232
Ashe, J. S., 234
Asilidae, foraging behavior, 317
Augochlorella striata, life history, S2-116
Australian pollen wasps, S2-384

Balduina angustifolia and monolectic bee, S2-238
Batra, S. W. T., 177
Baur, M. E., 122
bee yield vs. Seed yield, S2-201
bee, *Apis laboriosa,* 177
bees, *Amegilla dawsoni,* 182; Brachynomadini, 87; desert and neotropical disjunctives in southeastern U. S., S2-238; *Euglossa* and nest parasite *Coelioxys,* 144; *Eulaema* in Arizona, 102; northern distributions of mesoamerican species, 102; foraging by *Bombus,* S2-274; foraging on highbush blueberry, S2-185; ground-nesting, 211; in pollination, 270; leafcutting, nesting ecology, 26; life history of *Augochlorella striata,* S2-116; long-tongued, mites from, S2-15; necrophagous, S2-287; nesting biology, 9; nesting biology of *Melipona,* 207; nesting biology and foraging of *Melissodes rustica,* S2-260; new fossil species from Dominican amber, S2-334; S2-346; S2-353; species of *Apis* in Asia, S2-311
behavior, nesting, of Megachilidae, 26; nesting, in *Ptilothrix,* 9; of *Dineutus,* 360
Beiriger, R. L., 45
Bell, W. J., 204
Benn, A. A., 257
Beregovoy, V., 69
biogeography, of *Apis cerana,* S2-294
biological control, of alfalfa weevil, 326
Biosteres juglandis, host finding, S2-76
biotypes, of greenbug aphids, 69
black cutworm, pheromone in traps, 17
Blodgett, S. L., 326
Bohart, G. E., S2-177
Bombus pullatus, S2-403
Bombus terrestris, foraging, S2-274
Boomsma, J. J., S2-375
Bostrichidae, of Missouri, 45; key, 47
Bot, A. N. M., S2-375
Brachynomadini, review of genera, 87; new genus of , 90
Braconidae, host location, S2-76
Brohman, M. A., 279
bumblebees, foraging on *Corydalis cava,* S2-274; mites phoretic on, S2-35
butterflies, vortex formation in flight of *Heliconius,* 199
Byers, G. W., 274

caddisflies, neotypes and synonymy , 272
Cameron, S. A., S2-260
Cane, J. H., 99, S2-238
Carabidae, in soybean field, 310; seasonal distribution, 310
Carman, G. M., S2-168
Carpenter, J. M., S2-384
Caste dimorphism, in vespid wasps, S2-362; non-allometric, S2-370
Ceratina acantha, C. nanula, twig preferences, S2-216
Cercopidae, 78
Chamaemyiidae, aphidophagous *Leucopis* sp., 363
Charlet, L. D., 160
Chauliodes, in pitcher plant, 257
Chavarria, G., S2-403
Chen, Z. Z., 310
chewing lice, on antbirds and gnateaters, 346
Chilicola gracilis, n. sp., S2-358
Chrysomelidae, behavior, 1; *Diabrotica,* corn rootworms, 260

Chrysopidae, 222
Cicadas, behavior and communication, S2-85
cladistic analysis, of Australian Masarinae, S2-384‹ *Spalangiopelta,* S2-250
Clayton, D. H., 346
Cocroft, R. B., S2-85
Coelioxys costaricensis, nest parasite of *Euglossa,* 144
Coleoptera, in offshore traps, 21
Colletidae, 211; pollen selection by *Hylaeus,* S2-195
Collins, R. D., 204
communication, by cicadas, S2-85
corn rootworms, southern, northern, western, mt DNA analysis, 260
Corydalidae, 257
Corydalis cava, floral morphology, S2-276
Craig, W. S., 17
Crawfordapis luctuosa, natural history, 211
Crematogaster ants, on spider webs, 267
Cresk, W. A., S2-260
Cryptic species, in Halictidae, S2-168
Cuadriello-Aguilar, J. I., 144
Curculionidae, fatty acids in larvae, 160

Darling, D. C., S2-248
Darwin, C., 115
Dawson's burrowing bee, 182
Diabrotica, mt DNA differentiation, 260
Diadasiopus, n. gen., S2-28; *eickworti*, n. sp., S2-29
Dias, C. M., 9
dimorphism, in male *Lasioglossum,* S2-147; in *Megalopus,* 1
Dineutus assimilis, 360
Diptera, in offshore traps, 22; apidophagous *Leucopis* sp., 363
distributions of *Apis* spp. in Asia, S2-311
DNA sequence data, and biogeography of *Apis cerana,* S2-294
DNA sequencing, in *Diabrotica* spp. 260
Dominican amber, new bees from, S2-334; S2-346
Dudley, R., 199
Duffield, R. M., 257
dung beetles, unaffected by army ants, S2-405

Eberhard, W. G., 1, S2-43
Edgecomb, R. S., S2-61
Eickwort, G. C., obituary, S2-3; publications, S2-5; Eickwort Symposium Preceedings, S2-11; S2-185
Eickwortapis, n. gen., S2-354; **dominicana**, n. sp., S2-356
electrophoresis, S2-168
Emlen, D. J., S2-405
Engel, M. S., S2-3; S2-11; S2-158; S2-334
Epipona guerini, S2-362
Erythroneura spp., on grape, 337
Euglossa atroveneta, nest and parasite, 144
Eulaema polychroma, 102
European corn borer, parasitoid of , 133

false powderpost beetles, of Missouri, 45
Farmer, T. C., 257
fatty acids, in larval sunflower seed weevils, 160
feeding behavior, of larval *Tropisternus,* 104
Fidicina mannifera, S2-85
Fischer, R. L., 26
fleas, origin of, 274
food collection, by *Trigona hypogea,* S2-287
foraging behavior, of robber fly, 317
foraging patterns, in *Melissodes rustica,* S2-260
Formicaphagus, lice on birds, 346
Formicidae, competition, 267; metapleural glands, S2-375; nest with bumble bees, S2-403
Fowler, H. G., 267
Franklin, R. T., 97
functional morphology, of surstyli in Sepsidae, S2-43
Fusonie, A., 109

Gaimari, S. D., 363
Gilbert, C., S2-61
Godinez-Garcia, L. M., S2-401
Gotwald, W. H., S2-232
grape leafhoppers, 337
gray sunflower seed weevils, fatty acids in larvae, 160
greenbug aphids, efficiency of host-plant use, 69; reproduction, 153
Griswold, T., S2-177
Grodnitsky, D. L., 199
ground beetles, in soybean field, 310
Grundler, J. A., 17
Guinmarães, F. G., 9
Gyrinidae, behavior, 360

Hagen, R. H., S2-294
Halictidae, *Augochlorella striata,* S2-116; cryptic species, S2-168; fossil species, S2-334; male dimorphism in *Lasioglossum,* S2-147; *Mexalictus,* S2-401; sex ratio and sex allocation, S2-98; social behavior in Nomiinae, S2-158; subfamily Rophitinae, S2-177
Halictus ligatus, S2-168
Hamilton, R., 257
Hammon, R. W., 302
Harrell, M. O., 279
Hemiptera, in offshore traps, 20
Henneman, M. L., S2-76
Hernandez, E. M., 144
Hesperapis **orar!a**, n.. sp., S2-238
Heterosarus **eickworti**, n.. sp., S2-347
highbush blueberry, bees foraging on, S2-185
Himalayan honey bees, biology, 177
homing ability, in *Amegilla,* 182
Homoptera, in offshore traps, 20
honey bees, recently recognized species, S2-311
horned powderpost beetles, of Missouri, 45
host location, by *Biosteres,* S2-76
house flies, resource finding, 204
Hubbard, H. G., 117
Huck, K., S2-35
Hulsander, C. L., S2-260
Hunt, J. H., S2-362
Hydrophilidae, larval feeding behavior, 104

Hylaeus, pollen selection, S2-195
Hypera postica, biological control, 326
hyperparasitism, 122

Isenberg, S. B., S2-260
Isoptera, *Zootermopsis,* S2-139
Ithonidae, 81

Jackson, M. A., 17
Jang, Y., 211
Jeanne, R. L., S2-370
Jenkins, J. R., 360
Jones, J. A., 279
Jorge, J. A., S2-287
Keaster, A. J., 17
Kervin, L. J., S2-238
King, R. W., S2-260
Knight, S. L., 360
Kondratieff, B. C., 191, 326, 337
Kukuk, P. F., S2-147

Larrea, source of pollen and resins for bees, 99
Lasioglossum hemichaleum, S2-147
leafhoppers, on grape, 337
Lepidoptera, in offshore traps, 21; vortex visualization in flight, 199
Levesque, C., 285
Levesque, G-Y., 285
Lewis, D. R., 357
Liang, A-P., 78
life history, of *Augochlorella striata,* S2-116
life history, of grape leafhoppers, 337
lipid reserves, in termite, S2-139
Lygus lineolaris, parasitoids of, 357

MacKenzie, K. E., S2-185
Macrocentrus grandii, parasitoid of European corn borer, 133
Mallophaga, on neotropical birds, 346
Marin, M. C., 1
Martins, R. P., 9
Mateus, S., S2-287
McIntosh, M., S2-216
Medeus **ithacaensis**, n. sp., S2-16
Megachile rotundata, in alfalfa pollination, S2-201
Megachilidae, nesting ecology, 26; *Trachusa,* 99
Megalopus armatus, behavior, 1
Megaphorus willistoni, foraging behavior, 317
Melipona capixaba, nesting biology, 207
Melissodes rustica, nesting biology, S2-260
Melo, G. A. R., 207
metapleural glands, size allometry, S2-375
Metepeira incrassata, prey of wasps, S2-67
methods, for rearing aphidophagous *Leucopis* sp., 363
Mexalictus **eickworti**, n. sp., S2-401
Michener, C. D., 87, S2-353
Minckley, R. L., 102
mites, associated with bees, S2-15; S2-35; symbionts of army ants, S2-232
mitochondrial DNA sequence, biogeographical indications, S2-294
molecular diagnostics, of *Diabrotica* spp., 260
Moulton, S. R., 272
Mueller, U. G., S2-116
Mulkey, S. S., S2-362
Musca domestica, resource finding, 204
Mymaridae, parasitoids of *Lygus,* 357

native prairie plants, in agroecosystems, 133
natural history, of colletid bee, 211
Nelson, E., 337
neotype designations, in Trichoptera, 272
nest architecture, in nomiine bees, S2-158
nest construction, by *Euglossa,* 144
nest-substrate preference, of twig-nesters, S2-216
nest usurpation, by halictid bees, S2-122
nesting behavior, of leafcutting bees, 26
nesting biology, of *Melipona capixaba,* 207; of *Melissodes rustica,* S2-260; of *Ptilothrix plumata,* 9
Ng, B., 360
Noctuidae, in pheromone traps, 17; parasitoids of *Plathypena,* 122
Noll, F. B., S2-287
Nomadinae, 87
nutrition, larval, role in dimorphism, S2-147

O'Connor, B. M., S2-15
Olesen, J. M., S2-274
Oligochlora, n.gen., S2-336; *eickworti,* n. sp., S2-337; **micheneri**, n.sp., S2-340
O'Neill, K. M., 317
operational sex ratios, in termite, S2-139
orchid bee, *Eulaema,* in Arizona, 102
Orr, D. B., 133
Osmia cornifrons, winter storage conditions, 270
Ostrinia nubilalis, parasitoid of, 133
Otis, G. W., S2-311

Packer, L., S2-168
Paracercopoides **assamensis**, n. sp., 79; key to species, 78
Parachrysopiella, generic revision, 222; key 223; **pallidicornis**, n.sp., 226; *talquensis,* n.sp., 230
parisitoid wasps, host location, S2-76
parasitoids, of alfalfa weevil, 326; of *Dioryctria* borers, 279; of *Lygus,* 357; of noctuid, *Plathypena,* 122
Peairs, F. B., 302, 326
Pearson, C. H., 302
Pemphredon lethifer, twig preference, S2-216
Penny, N. D., 81, 222
Pereira, F., S2-43
Peters, D. C., 69, 153
phenology, of rove beetles, 285
pheromone traps, for Noctuidae, 17
phoresy, by mites on bumble bees, S2-35
Phthiraptera, on neotropical birds, 346
phylloxera, on grapes, 110
phylogeny, of Siphonaptera, 274
pine borers, parasitoids of, 279; life histories, 279
pitcher plant, larval *Chauliodes* in, 257
Plague, G. R., 104
Planchon, J. E., 114
plant viruses, on wheat, 302

Plathypena scabra, parasitoids of , 122
Pleasants, J. M., 133
Plecoptera, of western Nebraska, 191
Pogue, M., S2-85
Poinar, G., S2-353
pollen collection, by colletid bees, 213
pollen selection, by *Hylaeus,* S2-195
pollen wasps, of Australia, S2-384
pollination, by *Osmia cornifrons,* 270; model for seed and bee yields, S2-201; model program, S2-211; of apples in India, 177; of *Corydalis cava* by *Bombus,* S2-274
Pompilidae, attack strategy, S2-67
Powers, T. O., 260
predatory wasps, spider prey of, S2-67
prey (beetle larvae, etc.), of *Xylophagus cinetus,* 97
Price, R. D., 346
Proplebeia dominicana, S2-360
prosternal proprioceptor, S2-61
Protodufourea, revision, S2-177; key, S2-177; **eickworti**, n.sp., S2-178; *koso,* n.sp., S2-182; **zavortinki**, n.sp., S2-183
Pseudopolybia difficilis, S2-370
Pteromalidae, fossil species, S2-248
Ptilothrix plumata, 9
Pyralidae, parasitoids of , 279

Ramírez-Arriaga, E., 144
Rayor, L. S., S2-67
rearing, methods for aphidophagous *Leocopsis* sp., 363
red sunflower seed weevils, fatty acids in larvae, 160
resource finding, by house flies, 204
Reyes, S. G., 102
Rhagoletis, in walnut, parasitoid of, S2-76
Rhodes, H. A., 191
Riley, C.V., biographical comments: Missouri and France, 109
robber fly, *Megaphorus,* foraging behavior, 317
Rose, R. I., 357
Rothium, generic revision, 234; key, 239-244; **pallidus**, n. sp., 247; *ashlocki,* n. sp., 247; **evansi**, n. sp., 248; cladistic analysis, 249
rove beetles, in raspberry plantation, 285
Rozen, J. G., S2-346
Russian wheat aphid, 302

Schizaphis graminum, 69; reproduction, 153
Schmid-Hempel, P., S2-35
Schmidt, D. K., S2-362
Schwarz, H. H., S2-35
Sclar, C., 337
Scott, V., S2-195
Scott, V. L., 26
Seibert, C., 317
semiochemicals, response by parasitoids, 122
sensory organ, in anisopodid fly, S2-61
Sepsidae, function of surstyli, S2-43
sex allocation, in Halictidae, S2-98
sex ratio, in Halictidae, S2-98; in *Zootermopsis nevadensis,* S2-139
sexual behavior, of *Megalopus,* 1
Shellman-Reeve, J. S., S2-139
Siphonaptera, origin, 274
site fidelity, in males of *Amegilla,* 182
Sites, R. W., 45
Smicronyx, fatty acids in larvae, 160
Smith, D. R., S2-294
Snelling, R. R., S2-238
social behavior, of cicadas, S2-85; in nomiine bees, S2-158
social evolution, in primitively eusocial bee, S2-116
sorghum, greenbugs on, 69
Spalangiopelta **georgei**, n. sp., S2-248; cladistic analysis of genus, S2-250; historical biogeography, S2-256
Sphecidae, attack strategy, S2-67; twig-nesting, S2-216
Spiders, as prey, S2-67
Staphylinidae, 234; in raspberry plantation, 285; phenology, 285
stingless bees, *Trigona hypogea,* S2-287
Stoneflies, of western Nebraska, 191
storage, of *Osmia* bees in winter, 270
Strickler, K., 26, S2-201
surstyli, function in male Sepsidae, S2-43
sweet bees, S2-98
synonymy, in Trichoptera, 272
Szalanski, A. L., 260

termites, sex ratio in, S2-139
Theridiidae, ants on webs, 267
Tollefson, J. J., 357
Trachusa larreae, nest structure, 99
trap nests, for Megachilidae, 26
traps, wing-style, insects captured, 17
Trichonomada, new genus, 90; *roigella,* n. sp., 91
Trichoptera, neotypes and synonymy, 272
Trigona hypogea, biology, S2-287
Tropisternus, larval feeding behavior, 104
Turner, W. J., 363
twig preference, in *Ceratina* and *Pemphredon,* S2-216

Ulke, H., 117
Ullah, F., 153
usurpation, of nests in Megachilidae, 38

Vaccinium corymbosom, bees on, S2-185
Venticinque, E. M., 267
Vespidae, Polistinae, S2-362; Polybiinae, S2-370; Masarinae, S2-384
Vick, B. A., 160
visual stimuli, in resource finding, 204
vortex visualization, in *Heliconius,* 199

wasps, caste dimorphism in Vespidae, S2-362; S2-370; generic classification of Australian Masaarinae, S2-384
Wcislo, W. T., S2-158
weather, effects on Carabidae, 310
wheat, greenbugs on , 69
Whirligag beetles, 360
Whitaker, M., 257

White, R. A., 97
Whitfield, J. B., S2-260
Willliams, M. A., S2-362
Willson, H. R., 310
Wilson, R. L., 270
winter wheat, planting date, 302
Wuellner, C. T., 211
Xylophagus cinctus, larvae, pupae, prey, 97
Yanega, D., S2-98
Yeargan, K. V., 122
Zimmerman, R., 337
Zucchi, R., S2-287